Dutchess County Board of Elections 112 Delafield St., Suite 200 Poughkeepsie, NY 12601 (845) 486-2473

2024 Poll Site Notice

Machine Delivery:

Delivery of the machines will require a signature on the "Voting System Transportation Manifest" confirming that the machines were delivered and received by the poll site in order to maintain the chain of custody. Arnoff Moving and Storage will contact you for delivery. You can expect the delivery of the machines as follows:

Primary Election: March 28th or 29th Primary Election: June 20th or 21st

General Election: October 31st or November 1st

Pick up of the machines will be the day after the election.

Entrance through accessibility ramps must be allowed for delivery of the machines.

Election Day:

Primary Election:

Poll site must be opened at the designated time to allow for setup of the machines and the appropriate equipment.

It is important that the attached contact sheet indicates the name and phone number of someone that can be reached before and after your operating hours.

Adequate heat, light and access to electrical outlets must be provided for each Election District. Two or more outlets are required. Adequate light must be provided in the parking lot.

Adequate space – the voting system requires space to accommodate the voting machine(s) as well as the voting booths. Please have voting area <u>clear of extra objects/furnishings</u> prior to the arrival of inspectors.

Adequate number of tables and chairs for inspectors and the public must be provided; one table and four chairs are required for each election district in your building.

Poll Site Name:	Dover Town Hall		
Poll Site Address:	126 East Duncan Hill Road		
Number of Election	Districts at Poll Site: 2		

Tuesday, April 2, 2024

PRIMARY ELECTION IS NOW ALL DAY—ACCESS AT 5:00 A.M.

Hours: 5:00 a.m. to 10:00 p.m.

	y, June 25, 2024 y, November 5, 2024	Hours:	PARTY PARTY SE
Confirmation of Receipt:			
(signature)		Kat	ie Palmer-House (print name)
Date: January 19, 2024		Title: _	Town Clerk